


		INCH	MM	
CROWN WHEEL BOLT PCD	D1	5.5905	142	
No. OF BOLTS		10	10	
THREAD / THRO' HOLE		0.391	9.9	
CROWN WHEEL SPIGOT DIA	D2	4.9375	125.4	
BEARING DIA	D3	1.6264	41.3	
BEARING DISTANCE	L1	4.260	108.2	
SPIGOT LENGTH	L2	0.940	23.9	
	L2/A	0.940	23.9	
OVERALL LENGTH	L3	6.140	156.0	
BEARING/CROWN WHEEL	L4	0.850	21.6	
BORE	D4	1.252	31.8	
DRIVE SHAFT SPLINE:-				
No. OF TEETH		24	19	10
PITCH		20/40 DP	16/32 DP	1 1/8 NOM.
TYPE		FLAT ROOT	FLAT ROOT	STRAIGHT
PRESSURE ANGLE		30 DEG	30 DEG	14.5 DEG



TITLE R.W.D. DIFF DATA SHEET.
SCALE 1:1 U.O.S. SHEET 1 OF 1
Drg. No. QDF12K

Quaife Design & Development.

IF IN DOUBT, ASK.

THIS DRAWING OR DESIGN IS STRICTLY CONFIDENTIAL & THE COPYRIGHT THEREIN IS THE EXCLUSIVE PROPERTY OF R.L.S. (UK) ENGINEERING LTD. AND MAY NOT BE USED, COPIED OR REPRODUCED WITHOUT THE WRITTEN PERMISSION.

FINISH. MACH.	GRIND@G
LIMITS. FRACT. ± 1/64"	
DEC. ± 0.005"	
MATERIAL.	
TREATMENT.	
ISSUE. 01 DATE. 19.5.05	
DRAWN BY. M.L.M.	

Used In. LAND ROVER / RANGE ROVER