


		INCH	MM
CROWN WHEEL BOLT PCD	D1	5.591	142.0
No. OF BOLTS		24	
THREAD / THRO' HOLE		0.453	11.5
CROWN WHEEL SPIGOT DIA	D2	4.5	114.3
BEARING DIA	D3	3.5016	88.9
BEARING DISTANCE	L1	4.462	113.3
SPIGOT LENGTH	L2	0.712	18.1
	L2/A	0.712	18.1
OVERALL LENGTH	L3	5.886	149.5
BEARING/CROWN WHEEL	L4	0.538	13.7
BORE	D4	3.1496	80.0
DRIVE SHAFT SPLINE:-			
No. OF TEETH		28	
PITCH			
TYPE			
PRESSURE ANGLE			



TITLE DIFF. DATA SHEET
SCALE 1:1 U.O.S. SHEET 1 OF 1
<b>Drg. No.</b> QDF14S

**Quaife Design & Development.**

IF IN DOUBT, ASK.

THIS DRAWING OR DESIGN IS STRICTLY CONFIDENTIAL & THE COPYRIGHT THEREIN IS THE EXCLUSIVE PROPERTY OF R.T. QUAIFF ENGINEERING LTD. AND MAY NOT BE USED COPIED OR EXHIBITED WITHOUT THEIR WRITTEN PERMISSION.

FINISH. MACH,	GRIND@G
LIMITS. FRACT. ± 1/64".	
DEC. ± 0.005".	
MATERIAL.	
TREATMENT.	
ISSUE. 01 DATE. 21.11.05	
DRAWN BY. J.P.D.	
<b>Used In.</b>	HEWLAND JFR