


		INCH	MM
CROWN WHEEL BOLT PCD	D1	4.0958	104
No. OF BOLTS		10	10
THREAD / THRO' HOLE		M12x1.25	M12x1.25
CROWN WHEEL SPIGOT DIA	D2	4.880	124.0
BEARING DIA	D3	1.7833	45.3
BEARING DISTANCE	L1	3.841	97.6
SPIGOT LENGTH	L2	0	0
	L2/A	0.865	22.0
OVERALL LENGTH	L3	4.706	119.5
BEARING/CROWN WHEEL	L4	0	0
BORE	D4	1.222	31.0
	D5	1.572	40.0
DRIVE SHAFT SPLINE:-			
No. OF TEETH		27	
PITCH		24/48 DP	
TYPE		FILLET ROOT	SIDE FIT
PRESSURE ANGLE		45 DEG	



TITLE F.W.D. DIFF DATA SHEET.
SCALE 1:1 U.O.S. SHEET 1 OF 1
Drg. No. QDF8H

Quaife Design & Development.

IF IN DOUBT, ASK.

THIS DRAWING OR DESIGN IS STRICTLY CONFIDENTIAL & THE COPYRIGHT THEREIN IS THE EXCLUSIVE PROPERTY OF R.T. QUAIFF ENGINEERING LTD. AND MAY NOT BE USED COPIED OR EXHIBITED WITHOUT THEIR WRITTEN PERMISSION.

FINISH. MACH,	GRIND@G
LIMITS. FRACT. ± 1/64".	
DEC. ± 0.005".	
MATERIAL.	
TREATMENT.	
ISSUE. 01 DATE. 19.5.05	
DRAWN BY. M.L.M.	
Used In. PEUGEOT 505	