


		INCH	MM
CROWN WHEEL BOLT PCD	D1	5.512	140
No. OF BOLTS		8	8
THREAD / THRO' HOLE		0.406	10.3
CROWN WHEEL SPIGOT DIA	D2	4.500	114.3
BEARING DIA	D3	1.6268	41.3
BEARING DISTANCE	L1	4.240	107.7
SPIGOT LENGTH	L2	0.910	23.1
	L2/A	0.910	23.1
OVERALL LENGTH	L3	6.060	153.9
BEARING/CROWN WHEEL	L4	0.865	22.0
BORE	D4	1.201	30.5
DRIVE SHAFT SPLINE:-			
No. OF TEETH		18	
PITCH		16/32 DP	
TYPE		FLAT ROOT	SIDE FIT
PRESSURE ANGLE		30 DEG	



TITLE R.W.D. DIFF DATA SHEET.
SCALE 1:1 U.O.S. SHEET 1 OF 1
Drg. No. QDH1M

Quaife Design & Development.

IF IN DOUBT, ASK.

THIS DRAWING OR DESIGN IS STRICTLY CONFIDENTIAL & THE COPYRIGHT THEREIN IS THE EXCLUSIVE PROPERTY OF R.T. QUAIFF ENGINEERING LTD. AND MAY NOT BE USED COPIED OR EXHIBITED WITHOUT THEIR WRITTEN PERMISSION.

FINISH. MACH.	GRIND@G
LIMITS. FRACT. ± 1/64"	
DEC. ± 0.005"	
MATERIAL.	
TREATMENT.	
ISSUE. 01 DATE. 19.5.05	
DRAWN BY. M.L.M.	
Used In. MORGAN V8 (7HA)	