


		INCH	MM
CROWN WHEEL BOLT PCD	D1	4.803	122
No. OF BOLTS		12	12
THREAD / THRO' HOLE		M10x1.25 RH	M10x1.25 RH
CROWN WHEEL SPIGOT DIA	D2	4.0154	102.0
BEARING DIA	D3	1.7726	45.0
BEARING DISTANCE	L1	4.170	105.9
SPIGOT LENGTH	L2	1.250	31.7
	L2/A	1.155	29.3
OVERALL LENGTH	L3	6.575	167.0
BEARING/CROWN WHEEL	L4	0.944	24.0
BORE	D4	1.103	28.0
DRIVE SHAFT SPLINE:-			
No. OF TEETH		25	
PITCH		24/48 DP	
TYPE		FILLET ROOT	SIDE FIT
PRESSURE ANGLE		45 DEG	



TITLE F.W.D. DIFF DATA SHEET.
SCALE 1:1 U.O.S. SHEET 1 OF 1
Drg. No. QDH6E

Quaife Design & Development.

IF IN DOUBT, ASK.

THIS DRAWING OR DESIGN IS STRICTLY CONFIDENTIAL & THE COPYRIGHT THEREIN IS THE EXCLUSIVE PROPERTY OF ALFA 156. REPRODUCTION AND ANY USE OR DISSEMINATION WITHOUT THE WRITTEN PERMISSION IS PROHIBITED.

FINISH. MACH,	GRIND@G
LIMITS. FRACT. ± 1/64"	
DEC. ± 0.005"	
MATERIAL.	
TREATMENT.	
ISSUE. 01 DATE. 16.5.05	
DRAWN BY. M.L.M.	

Used In. ALFA 156 V6