


		INCH	MM
CROWN WHEEL BOLT PCD	D1	4.488	114.0
No. OF BOLTS		6	
THREAD / THRO' HOLE		0.372	9.5
CROWN WHEEL SPIGOT DIA	D2	3.543	90.0
BEARING DIA	D3	1.3779	35.0
BEARING DISTANCE	L1	3.463	88.0
SPIGOT LENGTH	L2	0.6998	17.8
	L2/A	0.7314	18.6
OVERALL LENGTH	L3	4.8942	124.3
BEARING/CROWN WHEEL	L4	0.3997	10.2
BORE	D4	0.9658	24.5
DRIVE SHAFT SPLINE:-			
No. OF TEETH		28	
PITCH			
TYPE			
PRESSURE ANGLE			



TITLE F.W.D. DIFF DATA SHEET.
SCALE 1:1 U.O.S. SHEET 1 OF 1
Drg. No. QDF20R

Quaife Design & Development.

IF IN DOUBT, ASK.

THIS DRAWING OR DESIGN IS STRICTLY CONFIDENTIAL & THE COPYRIGHT THEREIN IS THE EXCLUSIVE PROPERTY OF R.T. QUAIFF ENGINEERING LTD. AND MAY NOT BE USED COPIED OR EXHIBITED WITHOUT THEIR WRITTEN PERMISSION.

FINISH. MACH,	GRIND@G
LIMITS. FRACT. ± 1/64"	
DEC. ± 0.005"	
MATERIAL.	
TREATMENT.	
ISSUE. 01 DATE. 13.3.08	
DRAWN BY. H.R.	

Used In.