

		INCH	MM
CROWN WHEEL BOLT PCD	D1	5.315	135.0
No. OF BOLTS		10	10
THREAD / THRO' HOLE		M12x1.25	M12x1.25
CROWN WHEEL SPIGOT DIA	D2	4.411	112.0
BEARING DIA	D3	1.773	45.0
	D3/A	1.517	38.5
BEARING DISTANCE	L1	4.095	104.0
SPIGOT LENGTH	L2	0.919	23.3
	L2/A	0.759	19.3
OVERALL LENGTH	L3	5.773	146.6
BEARING/CROWN WHEEL	L4	0.667	16.9
BORE	D4	1.063	27.0


DRIVE SHAFT SPLINE:-

No. OF TEETH

PITCH

TYPE

26



TITLE F.W.D. DIFF DATA SHEET.
SCALE 1:1 U.O.S. SHEET 1 OF 1
<b>Drg. No.</b> QDF9M

**Quaife Design & Development.**

IF IN DOUBT, ASK.

THIS DRAWING OR DESIGN IS STRICTLY CONFIDENTIAL & THE COPYRIGHT THEREIN IS THE EXCLUSIVE PROPERTY OF RT QUAIPE ENGINEERING LTD. AND MAY NOT BE USED COPIED OR EXHIBITED WITHOUT THEIR WRITTEN PERMISSION.

FINISH. MACH,	GRIND@G
LIMITS. FRACT. ± 1/64".	
DEC. ± 0.005".	
MATERIAL.	
TREATMENT.	
ISSUE. 01 DATE. 18.1.10	
DRAWN BY. J.P.D.	

**Used In.** RENAULT CLIO 197