


		INCH	MM
CROWN WHEEL BOLT PCD	D1	5.118	130
No. OF BOLTS		10	10
THREAD / THRO' HOLE		0.417	10.6
CROWN WHEEL SPIGOT DIA	D2	4.3815	111.3
BEARING DIA	D3	1.6273	41.3
BEARING DISTANCE	L1	5.164	131.2
SPIGOT LENGTH	L2	0.800	20.3
	L2/A	0.800	20.3
OVERALL LENGTH	L3	6.765	171.8
BEARING/CROWN WHEEL	L4	1.322	33.6
BORE	D4	1.181	30.0
DRIVE SHAFT SPLINE:-			
No. OF TEETH		26	
PITCH		24/48 DP	
TYPE		FILLET ROOT	SIDE FIT
PRESSURE ANGLE		45 DEG	



TITLE R.W.D. DIFF DATA SHEET.
SCALE 1:1 U.O.S. SHEET 1 OF 1
<b>Drg. No. QDF15Z</b>

**Quaife Design & Development.**

IF IN DOUBT, ASK.

THIS DRAWING OR DESIGN IS STRICTLY CONFIDENTIAL & THE COPYRIGHT THEREIN IS THE SOLE PROPERTY OF QUAIFF DESIGN & DEVELOPMENT LTD. IT IS NOT TO BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS WITHOUT THE WRITTEN PERMISSION.

FINISH. MACH.	GRIND@G
LIMITS. FRACT. ± 1/64"	
DEC. ± 0.005"	
MATERIAL.	
TREATMENT.	
ISSUE. 01 DATE. 17.5.05	
DRAWN BY. M.L.M.	
<b>Used In.</b>	FORD SIERRA 7"