

Drg No. QDF24B

REMOVE ALL BURRS AND SHARP EDGES.

THIRD ANGLE PROJECTION.


CROWN WHEEL BOLT PCD
 No. OF BOLTS
 THREAD / THRO' HOLE
 CROWN WHEEL SPIGOT DIA
 BEARING DIA
 BEARING DISTANCE
 SPIGOT LENGTH
 OVERALL LENGTH
 BEARING/CROWN WHEEL
 BORE

	INCH	MM
D1	6.65	168.9
	10	10.0
	0.515	13.1
D2	5.1965	132.0
D3	2.2534	57.2
L1	6.604	167.7
L2	0.818	20.8
L2/A	0.800	20.3
L3	8.222	208.8
L4	2.636	67.0
D4	1.3394	34.0

DRIVE SHAFT SPLINE:-

No. OF TEETH
 PITCH
 TYPE
 PRESSURE ANGLE

24
20/40 DP
FLAT ROOT SIDE FIT
30



TITLE F.W.D. DIFF DATA SHEET

SCALE 1:1 U.O.S. SHEET 1 OF 1

Drg. No. QDF24B

Quaife Design & Development.

IF IN DOUBT, ASK.

THIS DRAWING OR DESIGN IS STRICTLY CONFIDENTIAL & THE COPYRIGHT THEREIN IS THE EXCLUSIVE PROPERTY OF R.T. SQUARE ENGINEERING LTD. AND MAY NOT BE USED COPIED OR EXHIBITED WITHOUT THEIR WRITTEN PERMISSION.

FINISH. MACH,	GRIND@G
LIMITS. FRACT. ± 1/64".	
DEC. ± 0.005".	
MATERIAL.	
TREATMENT.	
ISSUE. 01 DATE. 31.1.07	
DRAWN BY. J.P.D.	

Used In. CORVETTE Z06