


		INCH	MM
CROWN WHEEL BOLT PCD	D1	4.96	126
No. OF BOLTS		12	12
THREAD / THRO' HOLE		0.410/M10x1	0.410/M10x1
CROWN WHEEL SPIGOT DIA	D2	4.33	110.0
BEARING DIA	D3	2.002	50.9
BEARING DISTANCE	L1	4.409	112.0
SPIGOT LENGTH	L2	1.007	25.6
	L2/A	1.000	25.4
OVERALL LENGTH	L3	6.416	163.0
BEARING/CROWN WHEEL	L4	0.433	11.0
BORE	D4	1.3393	34.0

DRIVE SHAFT SPLINE:-

No. OF TEETH	41
PITCH	
TYPE	
PRESSURE ANGLE	



TITLE	DOUBLE FLANGE DIFF DATA SHEET.
SCALE	1:1 U.O.S.
SHEET	1 OF 1
Drg. No.	QDH1V

Quaife Design & Development.

IF IN DOUBT, ASK.

THIS DRAWING OR DESIGN IS STRICTLY CONFIDENTIAL & THE COPYRIGHT THEREIN IS THE EXCLUSIVE PROPERTY OF R.T. QUAIFF ENGINEERING LTD. AND MAY NOT BE USED COPIED OR EXHIBITED WITHOUT THEIR WRITTEN PERMISSION.

FINISH.	MACH, GRIND@G
LIMITS.	FRACT. ± 1/64".
	DEC. ± 0.005".
MATERIAL.	
TREATMENT.	
ISSUE.	01 DATE. 13.10.05
DRAWN BY.	J.P.D.

Used In. ASTON MARTIN